	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	1072	((creat$6 or generat$6 or build$4 or construct$6) near3 (root or path or hierarch$6 or directory)) same (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:02
2	BRS	L2	64	((creat$6 or generat$6 or build$4 or construct$6) near3 (root or path or hierarch$6 or directory)) same (class! or classes!) same (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:50
3	BRS	L3	7	((creat$6 or generat$6 or build$4 or construct$6) near3 (root or path$6)) same (class! or classes!) same (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:02
4	BRS	L4	7	((creat$6 or generat$6 or build$4 or construct$6) near3 (root or path$6)) same (class! or classes!) same cach$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:15
5	BRS	L6	494	((creat$6 or generat$6 or build$4 or construct$6) near3 (root or path$6)) same (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:02

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L7	45	6 and (class! or classes!) same (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:04
7	BRS	L8	60	6 and (class! or classes!) and (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:01
8	BRS	L9	1314	(loadclass or load-class or (load$4 near class))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:07
9	BRS	L10	622	9 and (root$2 or path$8 or classpath or class-path or (class adj path))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:03
10	BRS	L11	338	9 and (root$2 or path$8 or classpath or class-path or (class adj path)) same (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L12	257	9 and (root$2 or path$8 or classpath or class-path or (class adj path)) with (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:04
12	BRS	L13	233	9 and (root$2 or path$8 or classpath or class-path or (class adj path)) near9 (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:08
13	BRS	L14	137	13 and (class! or classes!) same (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:26
14	BRS	L15	96	14 and search$6 and (API$2 or interface)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:26
15	BRS	L16	2015	(loadclass or load-class or (load$4 near class) or (class near (locator or located or location)))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:08

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L17	212	16 and (path$8 or classpath or class-path or (class adj path)) near9 (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:32
17	BRS	L18	158	16 and (path$8 or classpath or class-path or (class adj path)) near3 (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:09
18	BRS	L19	59	16 and (path$8 or classpath or class-path or (class adj path)) near (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:09
19	BRS	L20	51	19 and ((creat$6 or generat$6 or build$4 or construct$6) near3 (root or path$6 or wrapp$6 or class$2))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:16
20	BRS	L21	46	19 and ((creat$6 or generat$6 or build$4 or construct$6) near2 (root or path$6 or wrapp$6 or class$2))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:16

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L22	28	19 and ((creat$6 or generat$6 or build$4 or construct$6) near (root or path$6 or wrapp$6 or class$2))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:20
22	BRS	L23	4	19 and ((creat$6 or generat$6 or build$4 or construct$6) near (root or path$6 or wrapp$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:20
23	BRS	L24	13	19 and ((creat$6 or generat$6 or build$4 or construct$6) near4 (root or path$6 or wrapp$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:32
24	BRS	L25	7	24 and search$6 and (API$2 or interface)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:22
25	BRS	L26	7	24 and (search$6 or lookup or query) and (API$2 or interface)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:30

	Type	L #	Hits	Search Text	DBs	Time Stamp
26	BRS	L27	59	19 and (creat$6 or generat$6 or build$4 or construct$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:25
27	BRS	L28	45	27 and (class! or classes!) same (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:33
28	BRS	L29	30	28 and search$6 and (API$2 or interface)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:26
29	BRS	L30	17	28 and search$6 and (API$2 or interface) and cach$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:28
30	BRS	L31	3095	"59" and search$6 and (API$2 or interface) and cach$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:28

	Type	L #	Hits	Search Text	DBs	Time Stamp
31	BRS	L32	17	27 and search$6 and (API$2 or interface) and cach$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:29
32	BRS	L33	3	27 and search$6 same cach$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:29
33	BRS	L34	46	27 and search$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:29
34	BRS	L35	50	27 and (search$6 or lookup or query)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:33
35	BRS	L36	4466	(path$8 or classpath or class-path or (class adj path)) near9 (class! or classes!)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:32

	Type	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L37	819	36 and ((creat$6 or generat$6 or build$4 or construct$6) near4 (root or path$6 or wrapp$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:32
37	BRS	L38	315	37 and (search$6 or lookup or query) and (API$2 or interface)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:34
38	BRS	L39	51	38 and (class! or classes!) same (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:34
39	BRS	L40	100	37 and (search$6 or lookup or query) and (API$2 or (application adj program$5 adj interface))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:34
40	BRS	L41	43	40 and (class! or classes!) same (JAVA or EJB)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 15:35

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	72	(Java same (API$2 or (application adj program adj interface)) same wrapp$4)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:54
2	BRS	L2	3	1 and (wrapp$4 same search$5)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:52
3	BRS	L3	128	(Java same (API$2 or (application adj program adj interface)) same (path$6 or wrapp$4))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:52
4	BRS	L4	2	3 and (wrapp$4 same search$5 same path$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:53
5	BRS	L5	0	4 and cach$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:02

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	2	1 and cach$6 same search$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:03
7	BRS	L7	349	Java same wrapp$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:54
8	BRS	L8	13	7 and cach$6 same search$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:55
9	BRS	L9	4866	cach$6 same search$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:55
10	BRS	L10	20	9 and Java and (class$6 near9 path$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:57

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	219	9 and Java and (search$6 same (class$6 or path$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:58
12	BRS	L12	130	9 and Java and (search$6 with (class$6 or path$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:59
13	BRS	L13	23	12 and wrapp$4	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 13:58
14	BRS	L14	947	Java and (search$6 with (class$6 or path$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:00
15	BRS	L15	814	Java and (search$6 near9 (class$6 or path$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:00

	Type	L #	Hits	Search Text	DBs	Time Stamp
16	BRS	L16	269	(Java near4 class) and (search$6 near9 (class$6 or path$6))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:00
17	BRS	L17	31	(Java near class) and (search$6 near9 ((classpath or class-path or (class adj path) or path$6 or directory) with class$2))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:03
18	BRS	L18	12	17 and cach$6	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:02
19	BRS	L19	119	(Java near class) and (search$6 near9 (classpath or class-path or (class adj path) or path$6 or directory))	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:03
20	BRS	L20	18	19 and cach$6 same search$5	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:04

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	164	((class! or classes!) near10 cach$6) and (wrapp$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:06
22	BRS	L22	6	21 and ((class! or classes!) near10 cach$6) same (wrapp$6)	USPAT; US-PG PUB; EPO; JPO; DERW ENT; IBM_TD B	2003/09/30 14:06